



A new typology of storage units that represents a 3D innovation making a visual and functional use of the side section as well as the front one. Usually, the storage unit side view is never considered in terms of utilization, but for juxtaposition. The system consists either of column units, base units, stackable or hanging units.

Featuring large-sized compartments, divided in a functional way to receive and organise everyday objects, books, magazines or electronic equipment.

The system's flexibility is considerable: swivel modules, with drawers or large drawers, with flap opening door, stackable modular units or modular units to be flanked, free-standing or wall-mounted.

The elements can be highly customised: the open compartments as well as the rotary units may feature different materials and/or colours and can be newly varied by the customer even after their purchase.

Typologies

All units are made of medium-density wood fibreboard (1.6 cm thick), matt lacquered white, 48 cm deep. They are divided into two main categories:

- **column storage units** with doors, ground-resting or hanging, 185.5 cm high, available in the following lengths: 34, 45, 53 cm. Only the L34 and L53 cm modules are equipped with an open rotary storage unit, made of medium-density wood fibreboard, 8 mm thick. Column storage units with rotary units are reversible vertically. The column with a single door features three internal shelves, one fixed and two adjustable (+/- 3 cm.) L53 columns with rotary unit and single door have been developed with five internal shelves, four fixed and one adjustable (+/- 3 cm) L34 columns with rotary unit and single door have been developed with four internal shelves, three fixed and one adjustable (+/- 3 cm). The ground-resting version features a 2.5 cm plinth and adjustable small feet.

- **low ground-resting storage units** (base unit), 32 cm high with a 2.5 cm plinth and adjustable small feet; available in the following lengths 53, 85, 144, 203 cm.
- **low stackable storage units**, 32 cm high with a 1.6 cm spacer;
- **low hanging storage units**, 32 cm high, in length 53, 85, 144 cm; equipped with a kit for wall mounting. The low ground-resting and stackable storage units can be used in the middle of the room as well.

Low units are provided in the following configurations:

- C** - drawer with a one-piece front
- R** - downward flap opening with single door
- G/C*** - open compartment (G), and drawer (C)
- G/R*** - open compartment (G), and (R) downward flap opening with single door
- C/C** - two-front drawers (only in lengths: 53, 85, 144cm)

*Electrified units

The base and stackable units **G/C** and **G/R** in length 144 and 203 cm and the hanging units **G/R** in length 144 are also available in the version arranged for cable management, with a white-lacquered aluminium door (L8 D7 cm) on the top of the storage unit.

Finishes

Units are always matt lacquered white; only open compartments and rotary compartments are available in the following options:

- matt lacquered white, green, orange, blue, sand, ivory, yellow and anthracite grey
- natural wood* and natural grey wood*

*Multilaminar wood composed of veneers based on precious woods such as ayous, poplar and lime.

The special manufacturing process allows to highlight the typical features of wood types through creative aesthetic and customised figures. Environmentally-friendly and fully made of woods coming from forests and plantations managed following sustainability standards.

RECOMMENDATIONS FOR COMPOSITION

Column storage units

- Wall-fixing is recommended with column storage units placed against the wall; all column units have a pre-arranged blind hole.
- In the event column units are used as a room divider, a connecting plate is to be fitted. This allows to connect the columns with a variable gap (0 / +5 / +10 cm), thus increasing their stability.

Low units H32

- With low units placed against the wall, either wall-fixing or a counterweight are recommended; both base and stackable units are pre-arranged with a blind hole.
- Only in the event these are used as a room divider, both for compositions made up of base units only and of stackable units, a counterweight is to be fitted. This must be inserted whilst assembly in the plinth of the base units (with no stackable elements), or in the spacer of the stackable elements (in the top element only). (See page 2.5 and 2.13).
- A max. no. of 4 stackable elements is recommended. (total height 135.3 cm).

N.B.

Feet allow for the adjustment of the column/low unit directly from the inside of the base. In the event of unit installation into niches, please contact our Sales Office to double-check dimensions.

Accessories

The rotary elements of columns in L34 and L53 and all open compartments for low units H32 can be purchased or replaced at a later time.

COLUMN GROUND-RESTING STORAGE UNITS (D 48 cm, H 185.5 + plinth 2.5 cm)

COLUMN HANGING STORAGE UNITS (D 48 cm, H 185.5)





with rotary unit and single door with 4 internal shelves (3 fixed and 1 adjustable)




with a single door and 3 internal shelves (1 fixed and 2 adjustable)




with rotary unit and single door with 5 internal shelves (4 fixed and 1 adjustable)



Column L34




Column L45





Column L53

USAGE OF CONNECTING PLATE AND COUNTERWEIGHTS




Wall-fixing is recommended with columns placed against the wall.


In the event column units are used as a room divider, a connecting plate is to be fitted. This allows to connect the columns with a variable gap (0 / +5 / +10 cm), thus increasing their stability.



With low units H32 against the wall, either a counterweight or wall-fixing are recommended.



With stackable compositions, wall mount only the topmost element.





If the units are used as a room divider, either with a simple ground-resting composition or stacked, a counterweight must be inserted. With stackable compositions, the counterweight must be installed only on the topmost element. The counterweight must be inserted whilst assembly in the plinth of the base units (with no stackable elements), or in the spacer of the stackable elements (in the top element only), thus increasing their stability.


NB: a max. no. of 4 stackable elements is recommended. (total height 135.3 cm)

CABLE MANAGEMENT SCHEME FOR GROUND-RESTING STORAGE UNITS



FRONT VIEW



2 - holes for cable management on the back of the unit




UPPER VIEW L144





UPPER VIEW L203

CABLE MANAGEMENT SCHEME FOR HANGING UNITS WITH OPEN COMPARTMENT AND DOWNWARD FLAP OPENING


FRONT VIEW




INTERNAL VIEW






















UPPER VIEW L144






















REAR VIEW



BASE UNITS (D48 cm, H32 + PLINTH 2.5 cm)

	LENGTH 53 CM	LENGTH 85 CM	LENGTH 144 CM	LENGTH 203 CM
DRAWER WITH A ONE-PIECE FRONT (C)	 F012201 W053	 F012201 W085	 F012201 W144	 F012201 W203
DOWNWARD FLAP OPENING WITH SINGLE DOOR (R)	 F012204 W053	 F012204 W085	 F012204 W144	 F012204 W203
OPEN COMPARTMENT AND DRAWER (G/C)	 F012207 W053 F__	 F012207 W085 F__	 F012207 W144 F__ also in electrified version	 F012207 W203 F__ also in electrified version
OPEN COMPARTMENT AND DOWNWARD FLAP (G/R)	 F012213 W053 F__	 F012213 W085 F__	 F012213 W144 F__ also in electrified version	 F012213 W203 F__ also in electrified version
TWO-FRONT DRAWERS (C/C)	 F012219 W053	 F012219 W085	 F012219 W144	
















STACKABLE UNITS (D48 cm, H32 + SPACER 1.6 cm)

	LENGTH 53 CM	LENGTH 85 CM	LENGTH 144 CM	LENGTH 203 CM
DRAWER WITH A ONE-PIECE FRONT (C)	 F012202 W053	 F012202 W085	 F012202 W144	 F012202 W203
DOWNWARD FLAP OPENING WITH SINGLE DOOR (R)	 F012205 W053	 F012205 W085	 F012205 W144	 F012205 W203
OPEN COMPARTMENT AND DRAWER (G/C)	 F012208 W053 F__	 F012208 W085 F__	 F012208 W144 F__ also in electrified version	 F012208 W203 F__ also in electrified version
OPEN COMPARTMENT AND DOWNWARD FLAP (G/R)	 F012214 W053 F__	 F012214 W085 F__	 F012214 W144 F__ also in electrified version	 F012214 W203 F__ also in electrified version
TWO-FRONT DRAWERS (C/C)	 F012220 W053	 F012220 W085	 F012220 W144	

INMOTION

units for composition

HANGING UNITS (D48 cm, H32)

	LENGTH 53 CM	LENGTH 85 CM	LENGTH 144 CM
DRAWER WITH A ONE-PIECE FRONT (C)	 F012203 W053	 F012203 W085	 F012203 W144
DOWNWARD FLAP OPENING WITH SINGLE DOOR (R)	 F012206 W053	 F012206 W085	 F012206 W144
OPEN COMPARTMENT AND DRAWER (G/C)	 F012209 W053 F__	 F012209 W085 F__	 F012209 W144 F__
OPEN COMPARTMENT AND DOWNWARD FLAP (G/R)	 F012215 W053 F__	 F012215 W085 F__	 F012215 W144 F__ also in electrified version
TWO-FRONT DRAWERS (C/C)	 F012221 W053	 F012221 W085	 F012221 W144


ROTARY UNIT AND OPEN UNIT: finishes

	orange F043
	ivory F044
	white F008
	blue F045
	yellow F016
	anthracite grey F018
	sand F029
	green F046
	natural grey wood F049
	natural wood F048

INMOTION

examples of compositions


The priced compositions are fixed to the wall



- A**
- 1 column unit L34 with door and rotary unit in ivory
 - 1 column unit L53 with door and rotary unit in natural wood
 - 1 column unit L45 with door
 - 1 base unit L144 open comp. in nat.grey wood and large drawer
 - 1 base unit L85 open comp. in nat.grey wood and large drawer
 - 1 hanging unit L144 open comp. in green colour and downward flap

F012227 F044
F012225 F048
F012226-0001
F012207 W144 F049
F012207 W085 F049
F012215 W144 F046


TOTAL



- B**
- 1 column unit L34 with door and rotary unit in ivory
 - 1 column unit L53 with door and rotary unit in ivory
 - 1 column unit L45 with door
 - 1 base unit L144 open comp. in nat.grey wood and large drawer
 - 1 base unit L85 open comp. in nat.grey wood and large drawer
 - 1 hanging unit L85 with downward flap
 - 1 hanging unit L144 with drawer and large drawer
 - 1 hanging unit L53 with drawer and large drawer

F012227 F044
F012225 F044
F012226-0001
F012207 W144 F049
F012207 W085 F049
F012206 W085
F012221 W144
F012221 W053

TOTAL




- C**
- 1 hanging unit L144 open comp. in nat.grey wood and downward flap
 - 1 hanging unit L85 with downward flap
 - 1 hanging unit L53 open comp. in green and downward flap

F012215 W144 F049
F012206 W085
F012215 W053 F046

TOTAL

The priced compositions are fixed to the wall



- D**
- 1 column unit L34 with door and rotary unit in ivory
 - 2 column units L53 with door and rotary unit in ivory
 - 1 column unit L45 with door
 - 1 column unit L34 with door and rotary unit in yellow

F012227 F044
F012225 F044
F012226-0001
F012227 F016


TOTAL



- E**
- 1 base unit L203 with large drawer
 - 1 stackable unit L203 open comp. in grey and downward flap
 - 1 base unit L144 with drawer and large drawer
 - 1 base unit L53 with drawer and large drawer

F012201 W203
F012214 W203 F018
F012219 W144
F012219 W053

TOTAL



- F**
- 1 base unit L85 with large drawer
 - 1 stackable unit L85 with drawer and large drawer
 - 1 stackable unit L85 with drawer
 - 1 stackable unit L85 open comp. in orange colour and downward flap

F012201 W085
F012220 W085
F012202 W085
F012214 W085 F043

TOTAL